






Tender Inviting Authority: Indian Institute of Management, Udaipur

Name of Work: Supply, installation, testing and commissioning of Kitchen Equipment

Tender Ref no.

Bidder Name:






S.NO	Description Of Item	Representative photograph	Unit	Qty	Rate in figures to be entered by the Bidder		Amount	Delivery schedule
A	Receiving				Figures	Words	INR	
1	<p>K-07 Platform Trolley</p> <p>Size of 750X850+100X850 Having platform size of 750x800mm of SS 304, with 40mm wide collar all around, supported by SS angle frame. The handle shall be made of 25mm dia SS 304 pipe having shape and size. The trolley shall move on 4 nos 125mm dia x 32mm wide PU made swivel type rubber tired castor, having brakes on 2 castors. C10:C11</p> <p>Custom Made</p>		Nos	3.00			-	21 days
2	<p>K-08 Hose Reel With Spray Gun</p> <p>Size of HOSE LENGTH-50' Hosereel having 50 feet long hose of 3/8 inch dia. This hose reel is for kitchen cleaning purpose. The body of the hose reel shall be made of black powder coated steel. It shall be provided with spray valve. Rating of hose shall be (a) PreaSSure- 300 PSI max (b) tempreature- 0 degree F to 176 degree F.</p> <p>Make: T & S, Model no 5HR-242-01 or GENERAL/ IMC / J & C</p>		Nos	1.00			-	21 days
3	<p>K-09 Weighing Scale, 200 Kg</p> <p>CAS/AVERY Size of PAN SIZE-600X600 The scale shall have capacity of 200kg, 0.8 inch high bright red LED display, built in rechargeable battery, environmentally protected load cell, brack rail support, and rugged construction of platform of size 600x600mm. C12:C13</p> <p>Model no CTG 200 of CITZEN make or CAS/AVERY make or equivalent make.</p>		Nos	1.00			-	21 days
4	<p>K-10 Weighing Scale Table Top, Cap- 10 Kg</p> <p>Size of Pan size-290x240mm The scale shall have pan of size 290mmx290mm and capacity 10kg. The scale shall have 0.6 inch high bright red led display, built in rechargeable battery, pole display and piece counting functions.</p> <p>Model no CTG 10 of CITZEN make or CAS/AVERY make or equivalent make.</p>		Nos	1.00			-	21 days
5	<p>K-11 Work Table With Bottom Shelf</p> <p>Size of 1500X750X850+150 Top shall be made of 16 swg SS 304, secured to 38x38x3mm SS 202 angle frame work, with 150mm high backsplash. Bottom shelf in 18 ga SS 304. 4 nos 38 mm dia SS 304 pipe legs with SS adjustable feets. C14:C15</p> <p>Custom Made</p>		Nos	1.00			-	30 days

Tender Inviting Authority: Indian Institute of Management, Udaipur

Name of Work: Supply, installation, testing and commissioning of Kitchen Equipment

Tender Ref no.

Bidder Name:




S.NO	Description Of Item	Representative photograph	Unit	Qty	Rate in figures to be entered by the Bidder		Amount	Delivery schedule
A	Receiving				Figures	Words	INR	
6	<p>K-12 SS Rack With 5 Shelves</p> <p>Size of 900X450X1800</p> <p>Rack having 5 nos of shelves made in 18 swg SS 304 sheet, all supported on 4 nos vertical pipes of 38x38mm x 16 swg square SS 304 pipes with SS adjustable feets.</p> <p>Custom Made</p>		Nos	1.00			-	30 days
7	Main Store							
8	<p>K-13 MS Rack With 5 Shelves</p> <p>Size of 900X450X1800</p> <p>Rack having 5 nos of shelves made in MS sections polyester/ powder coated</p> <p>Custom Made</p>		Nos	8.00			-	30 days
9	<p>K-14 MS Rack With 5 Shelves</p> <p>Size of 1200X450X1800</p> <p>Rack having 5 nos of shelves made in MS sections polyester/ powder coated</p> <p>Custom Made</p>		Nos	8.00			-	30 days
10	<p>K-15 MS Rack With 5 Shelves</p> <p>Size of 1050X450X1800</p> <p>Rack having 5 nos of shelves made in MS sections polyester/ powder coated</p> <p>Custom Made</p>		Nos	6.00			-	30 days
11	<p>K-16 PVC Dunnage Rack</p> <p>Size of 900X700X250</p> <p>standard size</p> <p>Make: Neelkamal/ Sintex/ Cambro</p>		2	4.00			-	21 Days




Tender Inviting Authority: Indian Institute of Management, Udaipur

Name of Work: Supply, installation, testing and commissioning of Kitchen Equipment

Tender Ref no.

Bidder Name:

S.NO	Description Of Item	Representative photograph	Unit	Qty	Rate in figures to be entered by the Bidder		Amount	Delivery schedule
A	Receiving				Figures	Words	INR	
12	<p>K-18 PVC Dunnage Rack</p> <p>Size of 1200X700X250 standard size</p> <p>Make: Neelkamal/ Sintex/ Cambro</p>		Nos	4.00			-	21 Days
13	Meat Preparation							
14	<p>K-22 Meat Collection Trolley</p> <p>Size of 550X550X700</p> <p>All sides and bottom of the trolley shall be made of 16 swg SS 304. There shall be 38 mm dia waste welded with bottom completed with lever operated drain valve. It shall be provided with 25mm thick SS perforated removable type bottom plate. The trolley shall move on 4 nos of 100mm dia x 32mm wide PU made swivel type rubber tired Castors.</p> <p>Custom Made</p>		Nos	1.00			-	21 Days
15	<p>K-23 2 DOOR VERTICAL CHILLER, 670 LTRS</p> <p>size-710X837X2050</p> <p>williams/electrolux/foster or equivalent</p>		Nos	1.00			-	30 days
16	<p>K-26 Work Table With Sink And Bottom Pipe Shelf, Sink Size-650x530x300mm</p> <p>Size of 1800X750X850+150</p> <p>Top to be made of 16 swg SS 304 secured to 38x38x3mm SS 202 angle frame work with 150mm high backsplash. The top shall have 1 nos 16 swg SS 304 sink of size 650x530x300mm, with 38mm dia waste welded with sink and complete with lever handle operated drain valve and rear connected overflow. Sink shall have swivel type deck mounted mixer faucet and removable type perforated basket with handle made of SS 304 inserted into it. The bottom shelf shall be made of 38x38mm 16 swg SS 304 square pipe with 12mm dia SS 304 tube on 75mm distance from centre to centre of the pipe. The equipment is mounted on 4 legs of 38mm dia x 16 ga SS 304 pipe with adjustable feet.</p> <p>Custom Made</p>		Nos	1.00			-	30 days





Tender Inviting Authority: Indian Institute of Management, Udaipur								
Name of Work: Supply, installation, testing and commissioning of Kitchen Equipment								
Tender Ref no.								
Bidder Name:								
S.NO	Description Of Item	Representative photograph	Unit	Qty	Rate in figures to be entered by the Bidder		Amount	Delivery schedule
A	Receiving				Figures	Words	INR	
17	<p>K-27 Work Table With Bottom And Middle Shelf</p> <p>Size of 1600X750X850+150 Top shall be made of 16 swg SS 304, secured to 38x38x3mm SS 202 angle frame work, with 150mm high backsplash. Bottom and middle shelf in 18 ga SS 304. 4 nos 38 mm dia SS 304 pipe legs with SS adjustable feets.</p> <p>Custom Made</p>		Nos	1.00			-	30 days
18	<p>K-32 SS Grating With Drain Trough</p> <p>Size of 600X300X75 Complete With Mesh And Pan. The Outer Frame Of Grating Should Be Made Of SS Angle Of Size 25 X 25 X 16 Swg SS 304 And This Should Be Grouted To The Finished Floor. The Modular Grating Will Be Made Of SS Flat Of 3 Mm Width, Put Together To Make A Grating Grid Of 25 X 25 Square Section As Per Attached Drawing.</p> <p>Custom Made</p>		Nos	1.00			-	21 Days
19	Vegetable Preparation							
20	<p>K-33 Work Table With Sink And Bottom Pipe Shelf, Sink Size-650x530x300mm</p> <p>Size of 1800X750X850+150 Top to be made of 16 swg SS 304 secured to 38x38x3mm SS 202 angle frame work with 150mm high backsplash. The top shall have 1 nos 16 swg SS 304 sink of size 650x530x300mm, with 38mm dia waste welded with sink and complete with lever handle operated drain valve and rear connected overflow. Sink shall have swivel type deck monted mixer faucet and removable type perforated basket with handle made of SS 304 inserted into it. The bottom shelf shall be made of of 38x38mm 16 swg SS 304 square pipe with 12mm dia SS 304 tube on 75mm distance from centre to centre of the pipe. The equipment is mounted on 4 legs of 38mm dia x 16 ga SS 304 pipe with adjutstable feets.</p> <p>Custom Made</p>		Nos	1.00			-	30 days
21	<p>K-34 Kitchen Blender, Jar</p> <p>The mixer shall be able to mix, liquefy, grind, crush all kind kind of hote and cold preparations. It shall have 4 ltrs SS jar.</p> <p>The motor shall have max power input of 1550w-220v-1ph with variable speed 500 to 15000 rpm, pulse upto 18000 rpm, speed controlled by an electronic proceSSor. It shall have high duty tempred stainleSS steel blades and drive shaft parts that is easy to dismount without tool.</p> <p>Make: HAMILTON BEACH, Model no HBB250</p>		Nos	1.00			-	21 Days

Tender Inviting Authority: Indian Institute of Management, Udaipur

Name of Work: Supply, installation, testing and commissioning of Kitchen Equipment

Tender Ref no.

Bidder Name:




S.NO	Description Of Item	Representative photograph	Unit	Qty	Rate in figures to be entered by the Bidder		Amount	Delivery schedule
A	Receiving				Figures	Words	INR	
22	<p>K-35 Automatic Juice Machine</p> <p>Size of 260x470x450</p> <p>Centrifugal type juicer shall be able to extract upto 100 ltrs of vegetable juice per hour depending upon the fruits. Body shall be metallic, chromed. Electric requirement is 1300W-220V-1ph.</p> <p>Model no J 100 Ultra of ROBOTCOUPE make or SANTOS / Sirman.</p>		Nos	1.00			-	21 Days
23	<p>K-36 Work Table With Bottom And Middle Shelf And 2 Overhead Shelves</p> <p>Size of 1400X750X850+150+450+400</p> <p>Top shall be made of 16 swg SS 304, secured to 38x38x3mm SS 202 angle frame work, with 150mm high backplash.2 nos 300mm wide overhead shelves of height 450mm and 400mm shall be made of 18 swg SS 304. Bottom and middle shelf in 18 ga SS 304. 4 nos 38 mm dia SS 304 pipe legs with SS adjustable feet.</p> <p>Custom Made</p>		Nos	2.00			-	30 days
24	<p>K-37 Knife Sterlizer</p> <p>Size of 400X140X620</p> <p>The sterlizer shall have capacity to keep 15 nos of knives of maximum length 450mm. It shall be made from AISI430 stainleSS steel. Chamber shall be closed by smoked plexiglaSS door. There shall be removable see through plexiglaSS knife holder to make sanitation easier and allow</p> <p>There shall be mercury vapour lamp with wire screen protection and a safety microswitch switches the lamps on when the door is opened and switches them off when it is closed. Electric requirement shall be 85w-220v-1ph.</p> <p>Model no 16W of SIRMAN make or equivalent make.</p>		Nos	1.00			-	21 Days
25	<p>K-38 PVC Dunnage Rack</p> <p>Size of 1200X700X250 standard size</p> <p>Make: Neelkamal/ Sintex/ Cambro</p>		Nos	2.00			-	21 Days

Tender Inviting Authority: Indian Institute of Management, Udaipur

Name of Work: Supply, installation, testing and commissioning of Kitchen Equipment

Tender Ref no.

Bidder Name:





S.NO	Description Of Item	Representative photograph	Unit	Qty	Rate in figures to be entered by the Bidder		Amount	Delivery schedule
A	Receiving				Figures	Words	INR	
26	<p>K-39 Central Working Table With CroSS Bracing</p> <p>Size of 2500X1050X850 Top shall be made of 16 swg SS 304, secured to 38x38x3mm SS 202 angle frame work. The bottom croSS bracing of 25mm dia SS 304 pipe in rear and both side, front open. 6 nos 38 mm dia SS 304 pipe legs with SS adjustable feets.</p> <p>Custom Made</p>		Nos	1.00			-	30 days
27	<p>K-40 Vegetable Collection Trolley</p> <p>Size of 450x600x700 The trolley shall be made of 38x38mm x 16 swg SS 304 square pipe frame work, with 4 sets of 4 sets of SS angles welded on them, each to accomodate 1 no of 1/1 GN pans of size 325x530x100mm. Top shall be made of 16 swg SS 304. The trolley shall move on 4 nos of 100mm dia x 32mm wide PU made swivel type rubber tired Castors.</p> <p>Custom Made</p>		Nos	3.00			-	21 Days
28	<p>K-41 Potato & Onion Bins</p> <p>Size of 750X750X900 Bins shall be made of 3mm dia SS 304 wiremeSS, wire on 25mm distance from centre to cetnre, reinforced with 38x38mm, 16 swg SS 202 angle with SS 304 flats on all sides. Top door shall be made in SS 304 flat strip covered with wiremeSS, chute extended out with flat hinge door with 8mm dia SS 304 rod handle on top. Base of the bin shC50all be made in 16 swg SS 304 reinforced with SS 304chanel with slope towards rear to front. The bin shall move on 100mm dia x 32mm wide PU made swivel type rubber tired castors. 2 nos of castors having breaks with them.</p> <p>Custom Made</p>		Nos	2.00			-	21 Days
29	<p>K-42 Handwash Sink Foot Operated</p> <p>Size of 460x500x225+460 The top shall be made of 16 swg SS 304 with 460mm high backsplash. The handwash sink shall have one paper dispenser, one hand sanitizer dispenser, one soap dispenser and fot-operated faucet. Sink shall be of size 350mm dia x 175mm deep made of 16 swg SS 304. There shall be 2 nos 16 swg SS 304 sheet brackets 350mm long and 100 mm high for mounting the sink on wall.</p> <p>Custom Made</p>		Nos	1.00			-	30 days
30	<p>K-44- Grating with drain trough size-600x300x75</p>		Nos	1.00			-	30 days

Tender Inviting Authority: Indian Institute of Management, Udaipur

Name of Work: Supply, installation, testing and commissioning of Kitchen Equipment

Tender Ref no.

Bidder Name:





S.NO	Description Of Item	Representative photograph	Unit	Qty	Rate in figures to be entered by the Bidder		Amount	Delivery schedule
A	Receiving				Figures	Words	INR	
31	<p>K-43 Vegetable Preparation Machine with Six Attachment</p> <p>Cutting machine shall be fitted with automatic feed head and shall be able to make a large variety of cuts : Slice, grate, julienne, dice etc. Machine shall be able to cut upto 700kg of vegetables/hour. The machine shall consist of 2 speed motor 375W & 750W. Electric requirement is 1100w-440v-3ph. The cutting machine shall be provided with all the standard dic52scs.</p> <p>Make: SIRMAN, Model no TM2 ALL or ROBOTCOUPE / ELECTROLUX</p>		Nos	1.00			-	21 Days
32	<p>K-45 Pulverizer, Cap-25 Kg</p> <p>Size of 500+65x370x680 3 HP MOTOR -220 VOLT 50HZ, S.S. PANELING, HEAVY DUTY S.S. ROTOR BLADE DIRECTLY CONNECTED TO THE MOTOR AND HOUSED IN S.S. CRUSHER HOUSING S.S. TRAY ON TOP WITH FEEDING HOLE 2 SETS OF WIRE MESH SIEVES LEDGES BELOW FOR PLACING GN PAN RECEPTACLE.</p> <p>Custom Made</p>		Nos	1.00			-	21 Days
33	<p>K-46 Masala Grinder, Cap-7 Kg</p> <p>Size of 460x660x1100 Masala grinder shall be of capacity 7ltrs. The unit shall be of tilting type with electric load 1 hp-220v-1ph. The body of masala grinder shall be made of SS 304. Motor shall be of crompton greaves. One masala grinder shall be provided with coconut scrapper.+C55.</p> <p>Model 7Ltr/1HP of Universal machinery Make or Custom Made</p>		Nos	1.00			-	21 Days
34	<p>K-47 Potato Peeler, Cap-10 Kg</p> <p>Size of dia 400+180x945 Potato peeler shall be of vertical design suitable for mounting on the floor. Machine shall be divided in two sections, Top peeling assembly and the bottom for motor drive housing, all made of Stainless Steel. The peeling time shall be between 1-3 minutes per charge, depending upon the grade and size of potatoes. Motor shall be of 1 HP- 220V-1ph, enclosed in the extended base of machine. Abrasive Disc shall operate at the speed of 400rpm, bonded with carborundum abrasive. On removal of hopper, disc should be removed easily for maintenance and cleaning. Material of Construction: - Top and Body – 16 swg SS, Peeling disc – 14 swg SS, Discharge door and assembly- aluminium. There shall be 12mm Water inlet, 1m of 3/4 core cable and starter.</p> <p>Custom Made</p>		Nos	1.00			-	21 Days

Tender Inviting Authority: Indian Institute of Management, Udaipur

Name of Work: Supply, installation, testing and commissioning of Kitchen Equipment

Tender Ref no.

Bidder Name:




S.NO	Description Of Item	Representative photograph	Unit	Qty	Rate in figures to be entered by the Bidder		Amount	Delivery schedule
A	Receiving				Figures	Words	INR	
35	<p>K-48 SS Drain Grating With Angle Frame</p> <p>Size of 2800X150X25 The Outer Frame Of Grating Should Be Made Of SS Angle Of Size 12 X 12 X 16 Swg SS 304 And This Should Be Grouted To The Finished Floor. The Modular Grating Will Be Made Of SS Flat Of 3 Mm Width, Put Together To Make A Grating Grid Of 25 X 25 Square Section As Per Attached Drawing. Unit To Be Made In Two Equal Peaces.C57</p> <p>Custom Made</p>		Nos	1.00			-	21 Days
36	<p>K-53 SS Shelving</p> <p>Size of 900X450X1800 5-Tier, adjustable shelving with 4 posts • Shelves can be adjusted in 100mm increment without diSSembling the entire unit. • Rust and corrosion free. • Weight bearing capacity 600 kg</p> <p>Custom Make</p>		Nos	2.00			-	30 days
37	<p>K-49 Work Table With Bottom Shelf</p> <p>Size of 900X900X850+150 Top shall be made of 16 swg SS 304, secured to 38x38x3mm SS 202 angle frame work, with 150mm high backsplash. Bottom and middle shelf in 18 ga SS 304. 4 nos 38 mm dia SS 304 pipe legs with SS adjustable feet. +C58.</p> <p>Custom Made</p>		Nos	1.00			-	30 days
38	4 door fridge							
39	<p>K-51 4 Door Vertical Chiller, 1430 Ltrs</p> <p>Size of 1441X837X2050 Large storage area, 1430 ltrs, suitable to contain 2/1 GN grids or shelves on anti-tilt runners. Operating temperature can be adjusted from -2 to +10 °C to suit different food storage requirements. Performance guaranteed at ambient temperatures of +43°C. Double walled cabinet, exterior and interior made of SS 304. Cabinet fitted with up to 75 mm thickneSS of cyclopentane insulation for best insulating performance with 100% environmental protection. Shall be provided with locking provision. Shall be provided with 4 nos of adjustable shelves</p> <p>Make-Ecostore/williams/Foster</p>		Nos	1.00			-	30 days

Tender Inviting Authority: Indian Institute of Management, Udaipur

Name of Work: Supply, installation, testing and commissioning of Kitchen Equipment

Tender Ref no.

Bidder Name:




S.NO	Description Of Item	Representative photograph	Unit	Qty	Rate in figures to be entered by the Bidder		Amount	Delivery schedule
A	Receiving				Figures	Words	INR	
40	<p>K-53 SS Shelving</p> <p>Size of 900X450X1800</p> <p>5-Tier, adjustable shelving with 4 posts</p> <ul style="list-style-type: none"> • Shelves can be adjusted in 100mm increment without diSSembling the entire unit. • Rust and corrosion free. • Weight bearing capacity 600 kg <p>Custom Make</p>		Nos	5.00			-	30 days
41	Staff Lockers							
42	<p>K-55 4 Compartment Lockers With Hanger And Locking Provision</p> <p>Size of 915X457X1800</p> <p>Lockers shall be made of 20 SWG powder coated MS sheet in grey colour. 4 nos equal size compartment shall have bar for uniform hangers at the top and 200mm high shoe rack at its bottom. Four legs each 150mm long made of 100mm dia MS pipe, having suitable arrangement to adjust height, as per drawing no. AS/BS/05, complete as required</p> <p>Custom Made</p>		Nos	14.00			-	21 Days
43	Garbage Room							
44	<p>K-56 Garbage Sorting Table With Chute And Cross Bracing</p> <p>Size of 1500X700X850</p> <p>Top to be made of 16 swg SS 304 secured to 38x38x3mm SS 202 angle frame work with 150mm high backplash. Front and both the sides of top shall be turned up 40mm to avoid spillage of waste. The top shall have a 150mm diax100mm deep 16 swg SS 304 scrap chute with raised covered opening at both the ends. The bottom croSS bracing of 25mm dia SS 304 pipe in rear and both side, front open. The equipment shall be mounted on 4 legs of 38mm dia x 16 ga SS 304 pipe with adjutstable feets.</p> <p>Custom Made</p>		Nos	1.00			-	30 days

Tender Inviting Authority: Indian Institute of Management, Udaipur

Name of Work: Supply, installation, testing and commissioning of Kitchen Equipment

Tender Ref no.

Bidder Name:




S.NO	Description Of Item	Representative photograph	Unit	Qty	Rate in figures to be entered by the Bidder		Amount	Delivery schedule
A	Receiving				Figures	Words	INR	
45	<p>K-57 Handwash Sink Foot Operated</p> <p>Size of 460x500x225+460 The top shall be made of 16 swg SS 304 with 460mm high backsplash. The handwash sink shall have one paper dispenser, one hand sanitizer dispenser, one soap dispenser and fot-operated faucet. Sink shall be of size 350mm dia x 175mm deep made of 16 swg SS 304. There shall be 2 nos 16 swg SS 304 sheet brackets 350mm long and 100 mm high for mounting the sink on wall.</p> <p>Custom Made</p>		Nos	1.00			-	30 days
46	Miscellaneous- Basement							
47	<p>K-60- Air curtain feet long</p> <p>Make Mitwah-4</p>		Nos	3			-	30 days
48	<p>K-61 Insect Killer, Wall Mounted</p> <p>Size of 680X175X625 Insect killer shall have powder coated MS guards, 2 tubes of 24 inch length and a tray at the bottom to collect the flies. There shall be provision of hanging the insect killer on the wall.</p> <p>Model no LOWLINE of PEST-O-FLASH make or equivalent make.</p>		Nos	4.00			-	21 Days
49	Cooking							
50	<p>K-63 Bulk Cooker, Tilting Type, Cap-150 Ltrs</p> <p>Size of 1200x950x1270 The Boiling Pan Should Be Made Of 12 Swg SS 304. The Pan Shall Have All Corners Smooth Finished, And The Front Should Be Provided With A Pouring Lip Of 150 Mm. It Should Have A Heavy 10 Swg StainleSS Steel Base With A Base Plate & Should Be Fitted With High PreSSure Spreader Burner Of Capacity 95,000 Btus With Pilot Burner With Separate Needle Control Valve Or A Low PreSSure Ring Burner Of The Same Capacity With Needle Control Valve. It Should Be Provided With A Lid Of 18 Swg SS 304 With Spring Loaded Counter Balance With Locking Arrangement So It Should Not Fall When Opened With Insulated Handle In The Front For Lifting The Lid. The Unit Shall Have A Tilting Mechanism Mounted On The Right Side With An Easy Movement And Self-Locking Worm Gear System. A Swivel Type Table Mounted Wall Mixer For Hot And Cold Water Faucet To Be Provided From A Reputed Make Like Jaquar. The Whole Structure Is Mounted On StainleSS Steel Square Pipe Legs 16 Swg 304 Of 50 Mm X 50 Mm. Bottom Of The Feet Should Be Provided With Flanges To Grout, If Needed.</p> <p>Custom Made</p>		Nos	1.00			-	30 days

Tender Inviting Authority: Indian Institute of Management, Udaipur

Name of Work: Supply, installation, testing and commissioning of Kitchen Equipment

Tender Ref no.

Bidder Name:



S.NO	Description Of Item	Representative photograph	Unit	Qty	Rate in figures to be entered by the Bidder		Amount	Delivery schedule
A	Receiving				Figures	Words	INR	
51	<p>K-64 Brat Pan, Tilting Type, 60 Ltrs</p> <p>Size of 12500X710X1100</p> <p>The Boiling Pan Should Be Made Of 12 Swg SS 304. The Pan Shall Have All Corners Smooth Finished, And The Front Should Be Provided With A Pouring Lip Of 150 Mm. It Should Have A Heavy 10 Swg StainleSS Steel Base With A Base Plate & Should Be Fitted With High PreSSure Spreader Burner Of Capacity 95,000 Btus With Pilot Burner With Separate Needle Control Valve Or A Low PreSSure Ring Burner Of The Same Capacity With Needle Control Valve. It Should Be Provided With A Lid Of 18 Swg SS 304 With Spring Loaded Counter Balance With Locking Arrangement So It Should Not Fall When Opened With Insulated Handle In The Front For Lifting The Lid. The Unit Shall Have A Tilting Mechanism Mounted On The Right Side With An Easy Movement And Self-Locking Worm Gear System. A Swivel Type Table Mounted Wall Mixer For Hot And Cold Water Faucet To Be Provided From A Reputed Make Like Jaquar. The Whole Structure Is Mounted On StainleSS Steel Square Pipe Legs 16 Swg 304 Of 50 Mm X 50 Mm. Bottom Of The Feet Should Be Provided With Flanges To Grout, If Needed.</p> <p>Custom Made</p>		Nos	2.00			-	30 days
52	<p>K-65 SS Drain Grating With Trough</p> <p>Size of 600X750X75</p> <p>Complete With Mesh And Pan. The Outer Frame Of Grating Should Be Made Of SS Angle Of Size 25 X 25 X 16 Swg SS 304 And This Should Be Grouted To The Finished Floor. The Modular Grating Will Be Made Of SS Flat Of 3 Mm Width, Put Together To Make A Grating Grid Of 25 X 25 Square Section As Per Attached Drawing.</p> <p>Custom Made</p>		Nos	3.00			-	21 Days
53	<p>K-66 SS Exhaust Hood With Baffle Filters, Fresh Air Grill & Fire SuppreSSion System</p> <p>Size of 5500X2600X600</p> <p>The island type hood shall be made in 18 swg SS 304 in 3 equal halves joined with SS bolts and nuts. The hood shall have 18 nos 500x500x50mm thick SS 304 baffle type filters with handle. There shall be 4 nos of 14 ga SS 202 brackets in each halves to hang the hoods from ceiling. For illumination, there shall be 12 nos of 2x40-220v-1ph tubelights fitted in the hood. 150mm wide fresh air grills of powder coated Aluminium on the both side of hoods through out the length. be provided in hood. It should have adequate no of nozzles to cover all the kitchen equipment under the hood. Size of opening of the duct shall be as per HVAC consultant.</p> <p>HOOD- CUSTOM make or FIRE SUPPRESSION SYSTEM- ANSUL/ BUCKEY / SWASTIK</p>		Nos	1.00			-	30 days
54	<p>K-67 Work Table With Bottom And Middle Shelf</p> <p>Size of 750X900X850+150</p> <p>Top shall be made of 16 swg SS 304, secured to 38x38x3mm SS 202 angle frame work, with 150mm high backsplash. Bottom and middle shelf in 18 ga SS 304. 4 nos 38 mm dia SS 304 pipe legs with SS adjustable feets.</p> <p>Custom Made</p>		Nos	1.00			-	30 days

Tender Inviting Authority: Indian Institute of Management, Udaipur

Name of Work: Supply, installation, testing and commissioning of Kitchen Equipment

Tender Ref no.

Bidder Name:



S.NO	Description Of Item	Representative photograph	Unit	Qty	Rate in figures to be entered by the Bidder		Amount	Delivery schedule
A	Receiving				Figures	Words	INR	
55	<p>K-68 Work Table With Bottom And Middle Shelf Size of 1500X700X850 Top shall be made of 16 swg SS 304, secured to 38x38x3mm SS 202 angle frame work. Bottom and middle shelf in 18 ga SS 304. 4 nos 38 mm dia SS 304 pipe legs with SS adjustable feets.</p> <p>Custom Made</p>		Nos	4.00			-	30 days
56	<p>K-69 Work Table With Bottom And Middle Shelf Size of 1800X700X850 Top shall be made of 16 swg SS 304, secured to 38x38x3mm SS 202 angle frame work. Bottom and middle shelf in 18 ga SS 304. 4 nos 38 mm dia SS 304 pipe legs with SS adjustable feets.</p> <p>Custom Made</p>		Nos	2.00			-	30 days
57	<p>K-70 combi oven with stand,cap-10 GN 1/1 Gn pan no SSC 101 Rational make or equivalent convotherm make</p> <p>Model</p>		Nos	1.00			-	21 Days
58	<p>K-71 Stock Pot Range With Ring Type Burner, Grid Size-600x600 Size of 750X750X600 The range shall have 1 no high preaSSure burner T-35, 75000 BTU/hr. Burner and the pilot burner shall be controlled by valves at the front panel. Cast iron grid shall be of size 600x600mm. Top to be made in 16 swg SS 304 with secured to 38x38x3mm SS 202 angle frame work. There should be panelling all the sides upto 300mm from top, front panelling in 18 swg SS 304 and back & 2 sides panelling in 20 swg SS 304. Bottom croSS bracing of 25mm dia x 16 swg SS 304 pipe in both side and rear, front open. The range shall mounted on 4 legs of 38mm dia x 16 ga SS 304 pipe with adjutstable feets.</p> <p>Custom Made</p>		Nos	3.00			-	30 days
59	<p>K-72 SS Drain Grating With Trough Size of 1200X300X75 Complete With Mesh And Pan. The Outer Frame Of Grating Should Be Made Of SS Angle Of Size 25 X 25 X 16 Swg SS 304 And This Should Be Grouted To The Finished Floor. The Modular Grating Will Be Made Of SS Flat Of 3 Mm Width, Put Together To Make A Grating Grid Of 25 X 25 Square Section As Per Attached Drawing.</p> <p>Custom Made</p>		Nos	2.00			-	21 Days

Tender Inviting Authority: Indian Institute of Management, Udaipur

Name of Work: Supply, installation, testing and commissioning of Kitchen Equipment

Tender Ref no.

Bidder Name:




S.NO	Description Of Item	Representative photograph	Unit	Qty	Rate in figures to be entered by the Bidder		Amount	Delivery schedule
A	Receiving				Figures	Words	INR	
60	<p>K-73 Idli Steamer With SS Stand, Cap- 180 Idli</p> <p>Size of 630x810x610+850 Body and door shall be double walled insulated with 40mm thick glaSSwool. External body shall be made in 20 swg SS 304 and Internal body shall be made in 18 swg SS 304. There shall be 18 swg SS 304 tank with 12mm dia water inlet, with water level indicater outside, 2 nos of 3kw heating element. Thermostatic tempreature control, on/off switch and indicator shall be in front panel. There shall be 6 nos of trays sliding, on 6 pairs of SS angles, with total 180 idli making capacity at one time. Stand of the idli steamer shall be made SS 304 with total height 850mm. Steamer shall have the waste outlet to drain out the water. Electric requirement shall be 6kw- 440v-3 ph.</p> <p>Custom Made</p>		Nos	1.00			-	21 Days
61	<p>K-74 Work Table With Bottom And Middle Shelf</p> <p>Size of 750X750X850+150 Top shall be made of 16 swg SS 304, secured to 38x38x3mm SS 202 angle frame work, with 150mm high backsplash. Bottom and middle shelf in 18 ga SS 304. 4 nos 38 mm dia SS 304 pipe legs with SS adjustable feets.</p> <p>Custom Made</p>		Nos	2.00			-	30 days
62	<p>K-75 Dosa Plate</p> <p>Size of 1500X750X850+150 The dosa plate shall have 5 nos "V" type burners of 40,000 BTU/hr capacity with 5 individually controlled gas valve at front panel. There shall be 5 pilot burners controlled by a 1 valve at the front panel. Dosa plate shall be made of 16 mm thick polished MS plate. Front of the top shall be in 16 GA SS 304 with 150mm high back splash. There shall be all round panelling upto 300mm from top, front panelling in 18 swg SS 304 and rear & both side panelling in 20 swg SS 304. The bottom shelf shall be made of frame of 38x38mm 16 swg SS 304 square pipe with 12mm dia SS 304 tube on 75mm distance from cetre to centre of the pipe. The equipment is mounted on 4 legs of 38mm dia x 16 ga SS 304 pipe with adjutstable feets.</p> <p>Custom Made</p>		Nos	1.00			-	30 days
63	<p>K-76 Salamander, Wall Mounted</p> <p>Size of 650X500X320 Interior In 18 Swg S.S. Sheet Exterior In 18 Swg S.S. Sheet GlaSSwool Insulation S.S. Wire Shelf With Insulated Handles 16 Swg Thick S.S. U Channels For 3 Positions Of S.S. Wire Tray 3 Nos. U Shaped Air Type Heating Elements Kaycee Make Rotary Switch. Indication Lights Teflon Insulated Wiring 3 Core Main Lead (Without Socket) ReceSSed Controls Electric Salamander Interior In 18 Swg S.S. Sheet Exterior In 18 Swg S.S. Sheet GlaSSwool Insulation S.S. Wire Shelf With Insulated Handles 16 Swg Thick S.S. U Channels For 3 Positions Of S.S. Wire Tray 3 Nos. U Shaped Air Type Heating Elements Kaycee Make Rotary Switch. Indication Lights Teflon Insulated Wiring 3 Core Main Lead (Without Socket) ReceSSed Controls</p> <p>Custom Made</p>		Nos	1.00			-	21 Days

Tender Inviting Authority: Indian Institute of Management, Udaipur

Name of Work: Supply, installation, testing and commissioning of Kitchen Equipment

Tender Ref no.

Bidder Name:





S.NO	Description Of Item	Representative photograph	Unit	Qty	Rate in figures to be entered by the Bidder		Amount	Delivery schedule
					Figures	Words		
A	Receiving						INR	
64	<p>K-77 2 Burner Gas Rane With Bottom Pipe Shelf, Grid Size- 300x300</p> <p>Size of 750X750X850+150 The range will have 2 nos T-22 burners of 40,000 BTU/hr capacity. Each burner shall be controlled by individual gas valve at the front panel. There shall be 2 pilot burners with 2 control valves at the front panel. 2 nos Cast iron grid shall be of size 300x300mm. Top to be made in 16 swg SS 304 with 150mm high back splash. There should be panelling all the sides upto 300mm from top, front panelling in 18 swg SS 304 and back & 2 sides panelling in 20 swg SS 304. The bottom shelf having frame of 38x38mm 16 swg SS 202 square pipe with 12mm dia SS 304 tube on 75mm distance from centre to centre of the pipe. The equipment is supported on 4 legs of 38mm dia x 16 ga SS 202 pipe with adjutstable feets.</p> <p>Custom Made</p>		Nos	1.00			-	30 days
65	<p>K-78 SS Grating With Drain Trough</p> <p>Size of 600X300X75 Complete With Mesh And Pan. The Outer Frame Of Grating Should Be Made Of SS Angle Of Size 25 X 25 X 16 Swg SS 304 And This Should Be Grouted To The Finished Floor. The Modular Grating Will Be Made Of SS Flat Of 3 Mm Width, Put Together To Make A Grating Grid Of 25 X 25 Square Section As Per Attached Drawing.</p> <p>Custom Made</p>		Nos	2.00			-	21 Days
66	<p>K-79 Sink Unit With Bottom Pipe Shelf, Sink Size- 450x450x300</p> <p>Size of 600X750X850+150 Top to be made of 16 swg SS 304 secured to 38x38x3mm SS 202 angle frame work with 150mm high backsplash. The top shall have 1 nos 16 swg SS 304 sink of size 450x450x300mm, with 38mm dia waste welded with sink and complete with lever handle operated drain valve and rear connected overflow. Sink shall have swivel type deck monted mixer faucet. The bottom shelf shall be made of of 38x38mm 16 swg SS 304 square pipe with 12mm dia SS 304 tube on 75mm distance from centre to centre of the pipe. The equipment is mounted on 4 legs of 38mm dia x 16 ga SS 304 pipe with adjutstable feets.</p> <p>Custom Made</p>		Nos	1.00			-	30 days
67	<p>K-80 Work Table With Bottom And Middle Shelf</p> <p>Size of 600X900X850+150 Top shall be made of 16 swg SS 304, secured to 38x38x3mm SS 202 angle frame work, with 150mm high back splash. Bottom and middle shelf in 18 ga SS 304. 4 nos 38 mm dia SS 304 pipe legs with SS adjustable feets.</p> <p>Custom Made</p>		Nos	2.00			-	30 days





Tender Inviting Authority: Indian Institute of Management, Udaipur

Name of Work: Supply, installation, testing and commissioning of Kitchen Equipment

Tender Ref no.

Bidder Name:

S.NO	Description Of Item	Representative photograph	Unit	Qty	Rate in figures to be entered by the Bidder		Amount	Delivery schedule
A	Receiving				Figures	Words	INR	
68	<p>K-81 Chapati Plate With Puffer And Bottom Pipe Shelf</p> <p>Size of 1500X900X850+150</p> <p>The equipment shall have 5 nos "V" type burners of 40,000 BTU/hr capacity with 5 individually controlled gas valve at front panel. There shall be 5 pilot burners controlled by a 3 valve at the front panel. Plate shall be made of 16 mm thick polished MS plate. Front of the top shall be in 16 GA SS 304 with 150mm high back splash. There shall be all round panelling upto 300mm from top, front panelling in 18 swg SS 304 and back & both side panelling in 20 swg SS 304. 3 nos of puffer plate shall be of size 225x225 mm. The bottom shelf having frame of 38x38mm 16 swg SS 202 square pipe with 12mm dia SS 202 tube on 75mm distance from centre to centre of the pipe. The equipment is supported on 6 legs of 38mm dia x 16 ga SS 304 pipe with adjustable feet.</p> <p>Custom Made</p>		Nos	1.00			-	30 days
69	<p>K-82 SS Tandoor On Wheels</p> <p>Size of 900X900X850+150</p> <p>The top shall be removable type, made of 16 swg SS 304, secured to 25x25x3mm SS angle frame work. Backsplash shall be 150mm high. The interior of body shall be made of 14 swg MS and exterior of 18 swg SS 304 with 25mm thick insulation. The clay pot shall be of commercial grade with maximum dia 750mm in centre and 350mm dia opening on top. The space between the clay pot and wall shall be completely insulated with glasswool. The tandoor shall have suitable arrangement for removing ash in front side at the bottom. The tandoor is supported on 4 nos 100mm dia x50mm wide PU made swivel type rubber tired castor wheels having lockable brakes in two of them.</p> <p>Make: Munni/ Kanhya/ Jumbo</p>		Nos	1.00			-	30 days
70	<p>K-83 SS Exhaust Hood With Baffle Filters, Fresh Air Grill & Fire Suppression System</p> <p>Size of 5500X1350X600</p> <p>The wall type hood shall be made in 18 swg SS 304 in 3 equal halves joined with SS bolts and nuts. The hood shall have 9 nos 500x500x50mm thick SS 304 baffle type filters with handle. There shall be 4 nos of 14 ga SS brackets in each halves to hang the hoods from ceiling. For illumination, there shall be 6 nos of 2x40-220v-1ph tubelights fitted in the hood. 150mm wide fresh air grills of powder coated Aluminium shall be provided in the hood through out the length. Fire suppression system, of make- ceasefire, ansul or amrex, shall be provided in hood. It should have adequate no of nozzles to cover all the kitchen equipment under the hood. Size of opening of the duct shall be as per HVAC consultant.</p> <p>HOOD- CUSTOM make or FIRE SUPPRESSION SYSTEM- ANSUL/ BUCKEYE / SWASTIK</p>		Nos	2.00			-	30 days
71	<p>K-84 SS Exhaust Hood With Baffle Filters</p> <p>Size of 1500X1200X600</p> <p>The wall type hood shall be made in 18 swg SS 304. The hood shall have 2 nos 500x500x50mm thick SS 304 baffle type filters with handle. There shall be 4 nos of 14 ga SS brackets to hang the hoods from ceiling. For illumination, there shall be 2x40-220v-1ph tubelights fitted in the hood. Size of opening of the duct shall be as per HVAC consultant.</p> <p>Custom Make</p>		Nos	1.00			-	30 days



Tender Inviting Authority: Indian Institute of Management, Udaipur								
Name of Work: Supply, installation, testing and commissioning of Kitchen Equipment								
Tender Ref no.								
Bidder Name:								
S.NO	Description Of Item	Representative photograph	Unit	Qty	Rate in figures to be entered by the Bidder		Amount	Delivery schedule
A	Receiving				Figures	Words	INR	
72	<p>K-85 FULLY AUTOMATIC CHAPATI MACHINE, CAP- 1000 CHAPATI/HR Size of 1950X1120X1500</p> <ul style="list-style-type: none"> Type: Rotary Body made of stainless steel Capacity- 1000 chapati/hr Gas consumption- 1.25 to 1.75kg/hr Chapati thickness- 1.5mm to 2.5mm Chapati Size- 4.5" to 7" Dough balls are made manually and placed on the machine for pressing and baking. <p>Make: SUNSHINE_ or CHAPATI QUEEN / BRW</p>		Nos	1.00			-	21 Days
73	<p>K-86 Chapati Collection Trolley</p> <p>Size of 600X600X900</p> <p>Trolley shall have pan 300 mm deep pan made of 18 swg SS 304. Handle shall be made of 25mm dia SS 304 pipe. The trolley shall move on 4 nos 100mm dia PU made rubber tired swivel type castor with 2 castors having break on them. (Height to be verified as per the machine specs).</p> <p>Custom Made</p>		Nos	1.00			-	30 days
74	<p>K-87 Work Table With Bottom Shelf</p> <p>Size of 1050X600X850</p> <p>Top shall be made of 16 swg SS 304, secured to 38x38x3mm SS 202 angle frame work. Bottom shelf in 18 ga SS 304. 4 nos 38 mm dia SS 304 pipe legs with SS adjustable feet.</p> <p>Custom Made</p>		Nos	1.00			-	30 days
75	<p>K-88 Atta Kneading Machine, Cap-40kg</p> <p>Size of 720x1510x1050</p> <p>Bowl of capacity 40kg atta shall be made of Stainless Steel 304. Motor shall be of 2 HP of make, crompton greaves. Electric load shall be 2 hp- 440v-3 ph.</p> <p>Custom Made</p>		Nos	1.00			-	21 Days
76	<p>K-89 Work Table With Sink, Bottom Cross Bracing, Sink Size-500x500x300</p> <p>Size of 1350X900X850+150</p> <p>Top to be made of 16 swg SS 304 secured to 38x38x3mm SS 202 angle frame work with 150mm high backsplash. The top shall have 1 nos 16 swg SS 304 sink of size 500x500x300mm, with 38mm dia waste welded with sink and complete with lever handle operated drain valve. Sink shall have swivel type deck mounted mixer faucet. The bottom cross bracing of 25mm dia SS 304 pipe in rear and both side, front open. The equipment shall be mounted on 4 legs of 38mm dia x 16 ga SS 304 pipe with adjustable feet.</p> <p>Custom Made</p>		Nos	1.00			-	30 days

Tender Inviting Authority: Indian Institute of Management, Udaipur

Name of Work: Supply, installation, testing and commissioning of Kitchen Equipment

Tender Ref no.

Bidder Name:


S.NO	Description Of Item	Representative photograph	Unit	Qty	Rate in figures to be entered by the Bidder		Amount	Delivery schedule
A	Receiving				Figures	Words	INR	
77	<p>K-90 Ingredient Bins On Wheels</p> <p>Size of 420x750x710</p> <p>Ingredient bin shall have capacity of 100 ltrs, made of food grade polyethelene with tranparent polycarbonate cover. The ingredient bin shall be provided with polycarbonate cambro scoop. It shall move of 100mm dia castors.</p> <p>Model no IBS-27 of CAMBRO make or METRO equivalent make.</p>		Nos	1.00			-	21 Days
78	<p>K-92 SS Masala trolley on wheels Size 425X600+100X850 custom Make</p>		Nos	1.00			-	30 days
79	<p>K-91 Pick-up Counter With Bottom And Middle Shelf And Sliding Doors</p> <p>Size of 1500X750X850</p> <p>The top of the cabinet shall be made of 16 swg SS 304, secured to 38x38x3mm SS angle frame work. The cabinet shall have 3 side panelling in 20 swg SS 304 and 3 nos of sliding door in 20 ga SS 304 with handle and locking provision. Bottom and middle shelves shall be in 18 swg SS 304. Unit shall be mounted on 4 nos 38mm dia SS 304 tube legs with SS adjustable feet.</p> <p>Custom Made</p>		Nos	2.00			-	30 days
80	<p>K-93 SS Pot Rack, 3 Tier</p> <p>Size of 1200X600X1800</p> <p>3 nos of shelves to be made in 38x38mmx 16 swg SS 304 square pipe frame work with 12mm dia 16 GA SS 304 tube along the depth, on 75mm distance from centre to centre of the pipe. 4 nos verticals for supporting the shelves to be made in 38mm dia 16 GA SS 304 pipe with adjustable feet.</p> <p>Custom Made</p>		Nos	2.00			-	30 days





Tender Inviting Authority: Indian Institute of Management, Udaipur

Name of Work: Supply, installation, testing and commissioning of Kitchen Equipment

Tender Ref no.

Bidder Name:

S.NO	Description Of Item	Representative photograph	Unit	Qty	Rate in figures to be entered by the Bidder		Amount	Delivery schedule
A	Receiving				Figures	Words	INR	
81	<p>K-94 2 Door Vertical Chiller, 670 Ltrs</p> <p>Size of 710X837X2050 Large storage area, 670 ltrs, suitable to contain 2/1 GN grids or shelves on anti-tilt runners. Operating temperature can be adjusted from -2 to +10 °C to suit different food storage requirements. Performance guaranteed at ambient temperatures of +43°C. Double walled cabinet, exterior and interior made of SS 304. Cabinet fitted with up to 75 mm thickness of cyclopentane insulation for best insulating performance with 100% environmental protection. Shall be provided with locking provision. Shall be provided with 4 nos of adjustable shelves</p> <p>Make-Electrolux/williams/foster</p>		Nos	1.00			-	30 days
82	<p>K-95 4 Door Vertical Chiller, 1430 Ltrs</p> <p>Size of 1441X837X2050 Large storage area, 1430 ltrs, suitable to contain 2/1 GN grids or shelves on anti-tilt runners. Operating temperature can be adjusted from -2 to +10 °C to suit different food storage requirements. Performance guaranteed at ambient temperatures of +43°C. Double walled cabinet, exterior and interior made of SS 304. Cabinet fitted with up to 75 mm thickness of cyclopentane insulation for best insulating performance with 100% environmental protection. Shall be provided with locking provision. Shall be provided with 4 nos of adjustable shelves</p> <p>Make.williams/electrolux/foster</p>		Nos	1.00			-	30 days
83	<p>K-96 Handwash Sink Foot Operated</p> <p>Size of 460x500x225+460 The top shall be made of 16 swg SS 304 with 460mm high backsplash. The handwash sink shall have one paper dispenser, one hand sanitizer dispenser, one soap dispenser and foot-operated faucet. Sink shall be of size 350mm dia x 175mm deep made of 16 swg SS 304. There shall be 2 nos 16 swg SS 304 sheet brackets 350mm long and 100 mm high for mounting the sink on wall.</p> <p>Custom Made</p>		Nos	1.00			-	30 days




Tender Inviting Authority: Indian Institute of Management, Udaipur								
Name of Work: Supply, installation, testing and commissioning of Kitchen Equipment								
Tender Ref no.								
Bidder Name:								
S.NO	Description Of Item	Representative photograph	Unit	Qty	Rate in figures to be entered by the Bidder		Amount	Delivery schedule
A	Receiving				Figures	Words	INR	
84	<p>K-96A SS Pipe Pot Rack 4 Shelves</p> <p>Size of 1200x600x1800 4 nos of shelves to bring the depth on 75mm distance from centre to centre of the pipe. 4 nos verticals for supporting the shelves to be made in 38mm dia 16 GA SS 304 pipe with adjustable feet.</p>		Nos	4.00			-	30 days
85	<p>K-96B SS Grating With SS Angle Frame</p> <p>Size of 600X600X32 The Outer Frame Of Grating Should Be Made Of SS Angle Of Size 25 X 25 X 16 Swg SS 304 And This Should Be Grouted To The Finished Floor. The Modular Grating Will Be Made Of SS Flat Of 3 Mm Width, Put Together To Make A Grating Grid Of 25 X 25 Square Section As Per Attached Drawing. Unit To Be Made In Two Equal Peaces.</p> <p>Custom Made</p>		Nos	1.00			-	21 Days
86	<p>K-96C Microwave Oven, 30 litres</p> <p>The oven shall have durable stainleSS steel exterior and interior, 100 programmable settings, 5 power levels and user friendly control. Electric load shall be 1100W-220V-1 PH</p> <p>Make: IFB Or LG / GODREJ</p>		Nos	1.00			-	21 Days
87	<p>K-96D Stick Blender</p> <p>Size of ROD SIZE-550mm Having rod size 550mm. The blender shall be suitable for blending 200 ltrs pan. The blade shall rotate at 9000 rpm. Electric requirement shall be 850w-220v-1ph.</p> <p>Model no MP550 ULTRA of ROBOTCOUPE make or ELECTROLUX</p>		Nos	1.00			-	21 Days
88	<p>K-96E Kitchen Blender, Jar Cap: 4 Ltrs</p> <p>Size of 220x303x566 The mixer shall be able to mix, liquefy, grind, crush all kind kind of hote and cold preparations. It shall have 4 ltrs SS jar. The motor shallC120 have max power input of 1550w-220v-1ph with variable speed 500 to 15000 rpm, pulse upto 18000 rpm, speed controlled by an electronic procesSor. It shall have high duty tempred stainleSS steel blades and drive shaft parts that is easy to dismount without tool.</p> <p>Make: Kitchen-Ad,</p>		Nos	1.00			-	21 Days

Tender Inviting Authority: Indian Institute of Management, Udaipur

Name of Work: Supply, installation, testing and commissioning of Kitchen Equipment

Tender Ref no.

Bidder Name:




S.NO	Description Of Item	Representative photograph	Unit	Qty	Rate in figures to be entered by the Bidder		Amount	Delivery schedule
A	Receiving				Figures	Words	INR	
89	<p>K-97 Hi Pressure Cleaning System Size of 450X500X800 Industrial pumping unit. 1,000mm long spray wand. 15.3m long steel braided industrial hose Rust-free hose reel Cover and frame : StainleSS steel Wallmount brackets (with gun hanger) : StainleSS steel 3 cylinder CAT super flow plunger pump 2 HP motor TEFC, 1725 rpm, 1 phase Power requirement: 1.5kW, 230V, 50Hz, single phase. Hot and Cold Water supply connections, 12mm diameter each. AcceSSories: 2 nos one gallon chemical baskets 6 water inlet supply hose Anti backflow protection / float tank 4' cord with GFCI Model no 600-W of SMT make or GENERAL/IMC or equivalent Make.</p>		Nos	1.00			-	21 Days
90	<p>K-98 Air Curtain Size of LENGTH- 2400mm The air curtain shall have 4 nos of motors, of 120W each. It shall have 8 nos of blowers. Max. velocity shall be 21 meter/second. There shall be provision to mount the unit on wall. Electric requirement of air curtain shall be 480 w-220v-1ph. +F115:F116F115F114:F116F114:F116 Make: MITZWAH, Model No. MEI 240 AX or EURONICS / GEEKON</p>		Nos	2.00			-	21 Days
91	<p>K-99 SS Rack With 5 Shelves Size of 1050X450X1800 Rack having 5 nos of shelves made in 18 swg SS 304 sheet, all supported on 4 nos vertical pipes of 38x38mm x 16 swg square SS 304 pipes with SS adjustable feets. Custom Made</p>		Nos	8.00			-	30 days
92	<p>K 100 A Chest freezer cap-600 litres star/voltas/celfrost Make-blue</p>		Nos	1.00			-	21 Days

Tender Inviting Authority: Indian Institute of Management, Udaipur

Name of Work: Supply, installation, testing and commissioning of Kitchen Equipment

Tender Ref no.

Bidder Name:



S.NO	Description Of Item	Representative photograph	Unit	Qty	Rate in figures to be entered by the Bidder		Amount	Delivery schedule
A	Receiving				Figures	Words	INR	
93	<p>K-100 SS Dunnage Rack</p> <p>Size of 1200X700X250</p> <p>Outer frame shall be made of 38x38x16 GA SS 304 square frame work. 25x25x16 ga SS 304 square pipe shall be welded horizontally at every 100mm distance, from centre to centre of the pipe. 4 nos legs shall be made of 50mm dia SS 304 pipe supported on 100mm dia 2 mm thick SS 304 Flange</p> <p>Custom Made</p>		Nos	2.00			-	21 Days
94	Food Service							
95	<p>K-101 Plate And Cutlery Dispensing Unit</p> <p>Size of 1000X700X900</p> <p>Top shall be made of 16 swg SS 304, secured to 38x38x3mm SS 202 angle frame work. There shall be 4 nos 100mm dia 150mm high perforated cutlery pans inserted at right side of the top. Bottom shelf in 18 ga SS 304. Both side paneling in 20 swg SS 304. 4 nos 38 mm dia SS 304 pipe legs with SS adjustable feet.</p> <p>Custom Made</p>		Nos	2.00			-	30 days
96	<p>K-102 Ambient Bain Marie With 2 Nos 1/1x150 Food Pans, Tray Slide And Sneeze Guard</p> <p>Size of 1500X700+300X900+450</p> <p>The top shall be made of 16 swg SS 304 secured to 38x38x3mm SS 202 angle frame work. There shall be provision for 2 nos ambient 1/1 gn pan, 150mm deep. Sneeze guard, 450mm dia high shall be made of toughened glaSS. Tray slide shall be 300mm wide made of 25 mm dia SS 304 pipe supported on 14 swg SS 304 brackets . 3 side paneling shall be of 20 swg SS 304. The bottom shelf having frame of 38x38mm 16 swg SS 304 square pipe with 12mm dia SS 304 tube on 75mm distance from centre to centre of the pipe. The equipment is supported on 6 legs of 38mm dia x 16 ga SS 202 pipe with adjustable feet.</p> <p>Custom Made</p>		Nos	2.00			-	30 days
97	<p>K-103 Hot Bain Marie With 5 Nos 1/1x150 Food Pans, Tray Slide And Sneeze Guard</p> <p>Size of 1500X700+300X900+450</p> <p>The top shall be made of 16 swg SS 304 secured to 38x38x3mm SS 202 angle frame work. Water tank for hot bain marie shall be insulated and depth sufficient for holding 5 nos 150mm deep 1/1 food pans. Heating element shall be of 4 kw. Electrical panel with thermostatic control, on/off switch and indicating lamp shall be at the right side. Sneeze guard 400 mm high shall be made of toughened glaSS. Tray slide shall be 300mm wide made of 25 mm dia SS 304 pipe supported on 14 swg SS 304 brackets . 3 side paneling shall be of 20 swg SS 304. The bottom shelf having frame of 38x38mm 16 swg SS 304 square pipe with 12mm dia SS 304 tube on 75mm distance from centre to centre of the pipe. The equipment is supported on 6 legs of 38mm dia x 16 ga SS 202 pipe with adjustable feet.</p> <p>Custom Made</p>		Nos	2.00			-	30 days

Tender Inviting Authority: Indian Institute of Management, Udaipur

Name of Work: Supply, installation, testing and commissioning of Kitchen Equipment

Tender Ref no.

Bidder Name:







S.NO	Description Of Item	Representative photograph	Unit	Qty	Rate in figures to be entered by the Bidder		Amount	Delivery schedule
A	Receiving				Figures	Words	INR	
98	<p>K-104 Work Counter With Bottom Shelf, On Wheels</p> <p>Size of 900X700X850</p> <p>Top shall be made of 16 swg SS 304, secured to 38x38x3mm SS 202 angle frame work. Bottom shelf in 18 ga SS 304. 4 nos 38 mm dia SS 304 pipe legs with SS adjustable feet. It is supported on 4 nos 100mm dia x50mm wide PU made swivel type rubber tired castor wheels having lockable brakes in two of them. C130</p> <p>Custom Made</p>		Nos	2.00			-	30 days
99	<p>K-105 Tea Urn- 12 Litrs</p> <p>Urn made of StainleSS steel 304</p>		Nos	2.00			-	21 Days
100	Dish Wash							
101	<p>K-107 Soiled Dish Table With 2 Garbage Chute And Bottom CroSS Bracing</p> <p>Size of 3000x900x850+150</p> <p>The top shall be made of 16 swg SS 304, secured to 38x38x3mm SS 202 angle frame work, with 150mm high splash in rear. Front and both side of top turned up to avoid spillage of waste. The top shall have 2 nos 150mm dia x100mm deep 16 swg SS 304 scrap chute with raised covered opening. Bottom croSS bracing of 25mm dia SS 304 pipe on both the side and rear, front side open. The equipment is supported on 8 legs of 38mm dia x 16 ga SS 304 pipe with adjutstable feet.</p> <p>Custom Made</p>		Nos	1.00			-	30 days
102	<p>K-108 3 Sink Unit With Bottom Pipe Shelf</p> <p>Size of 1800X900X850+150</p> <p>Top shall be made of 16 swg SS 304, secured to 38x38x3mm SS 202 angle frame work. Left side of top shall be bolted with item no. K-107. Rear side splash shall be 150mm high sloping type right side turned down and chamfered suitably for entry into dishwasher. 2 nos 16 swg SS 304 sinks of size 450x450x300mm shall have 38mm dia waste welded with them, lever handle operated drain valve and rear connected overflow. 1 no of sink shall have wall mounted swivel type mixer faucet. Other sink shall have pre rinse spray unit (Item no. K-109). The bottom shelf shall be made of 38x38mm 16 swg SS 304 square pipe with 12mm dia SS 304 tube on 75mm distance from centre to centre of the pipe. The equipment is mounted on 4 legs of 38mm dia x 16 ga SS 304 pipe with adjutstable feet.</p> <p>Custom Made</p>		Nos	1.00			-	30 days
103	<p>K-109 Pre-Rinse Spray, Wall Mounted</p> <p>Pre rinse spray unit, wall mouted having 18" Riser Finger Hook, Spring Check Cartridges, 44" Flex StainleSS Steel Hose & 1.6 gallon per minute spray valve. Unit shall be provided with wall bracket.</p> <p>Make: T&S, Model No. B-0133 or ELECTROLUX/IMC / J & C</p>		Nos	1.00			-	21 Days

Tender Inviting Authority: Indian Institute of Management, Udaipur

Name of Work: Supply, installation, testing and commissioning of Kitchen Equipment

Tender Ref no.

Bidder Name:


S.NO	Description Of Item	Representative photograph	Unit	Qty	Rate in figures to be entered by the Bidder		Amount	Delivery schedule
A	Receiving				Figures	Words	INR	
104	<p>K-110 SS Grating With Trough</p> <p>Size of 1200X300X75 Complete With Mesh And Pan. The Outer Frame Of Grating Should Be Made Of SS Angle Of Size 25 X 25 X 16 Swg SS 304 And This Should Be Grouted To The Finished Floor. The Modular Grating Will Be Made Of SS Flat Of 3 Mm Width, Put Together To Make A Grating Grid Of 25 X 25 Square Section As Per Attached Drawing.</p> <p>Custom Made</p>		Nos	3.00			-	21 Days
105	<p>K-112 Dish Wash Machine,hood Type Cap-200 Racks/Hour</p> <p>Make: HOBART, Model No. CNR or WINTERHALTER/MEIKO</p>		Nos	1.00			-	21 Days
106	<p>K- 113 Work Table With Bottom And Middle Shelf</p> <p>Size of 1800X700X850 Top shall be made of 16 swg SS 304, secured to 38x38x3mm SS 202 angle frame work. Bottom and middle shelf in 18 ga SS 304. 4 nos 38 mm dia SS 304 pipe legs with SS adjustable feet.</p>		Nos	2.00			-	30 days
107	<p>K-116 SS Rack With 5 Shelves</p> <p>Size of 1200X450X1800 Rack having 5 nos of shelves made in 18 swg SS 304 sheet, all supported on 4 nos vertical pipes of 38x38mm x 16 swg square SS 304 pipes with SS adjustable feet.</p> <p>Custom Made</p>		Nos	6.00			-	30 days
108	<p>K-119 SS Water Cooler, Cooling Capacity-60 Ltrs/Hr And Storage Capacity-80 Ltrs</p> <p>Size of 660X475X1235 Water cooler having storage capacity of 80 ltrs and cooling capacity of 60 ltrs/hr. The body of water cooler shall be made of SS 304. The water cooler shall have 2 water outlet faucet with water collection tray below it connected to water outlet. Electric load of water cooler shall be 0.4kw-220v-1ph.</p> <p>Model no SDI 680 of BLUESTAR make or VOLTAS or equivalent make.</p>		Nos	2.00			-	21 Days
109	<p>K-120 GlaSS Stand 3 Tier</p> <p>Size of 550X550X1200 GlaSS rack having 3 nos of shelves made in 18 swg SS 304 sheet, all supported on 4 nos vertical pipes of 38x38mm x 16 swg square SS 304 pipes with SS adjustable feet.</p> <p>Custom Made</p>		Nos	2.00			-	30 days

Tender Inviting Authority: Indian Institute of Management, Udaipur

Name of Work: Supply, installation, testing and commissioning of Kitchen Equipment

Tender Ref no.

Bidder Name:

S.NO	Description Of Item	Representative photograph	Unit	Qty	Rate in figures to be entered by the Bidder		Amount	Delivery schedule
A	Receiving				Figures	Words	INR	
110	K-120 PU Garbage Bin On Wheels Size of DIA 500+30X700 H Waste bin shall be made of 20 swg SS 304. It shall move on 100mm dia PU made castors with brakes on them. Make: NEELKAMAL/ SINTEX		Nos	20.00			-	21 Days
111	GRAND TOTAL						-	